

u
INTERFERENCE^u

Refine Search

Search Results -

Terms	Documents
(communication apparatus with telephony network) and (momory with impedance control with simulating with circuit impedance) and (automatically detect with impedance characteristic) and (automatically select with impedance with control values) and (combine data with telephony network with impedance with values) and (digital-to-analog with analog-to-digital with interface port)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Monday, October 24, 2005 [Printable Copy](#) [Create Case](#)

Set
Name Query
side by
side

Hit Set
Count Name
result
set

DB=PGPB; PLUR=YES; OP=ADJ

<p>(communication apparatus with telephony network) and (momory with impedance control with simulating with circuit impedance) and (automatically detect with impedance characteristic) and (automatically select with impedance with control values) and (combine data with telephony network with impedance with values) and (digital-to-analog with analog-to-digital with interface port)</p>	<p>0 <u>L1</u></p>
---	-----------------------

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database	
	US Patents Full-Text Database	
	US OCR Full-Text Database	
	EPO Abstracts Database	
	JPO Abstracts Database	
	Derwent World Patents Index	
	IBM Technical Disclosure Bulletins	
Term:	110 and L15	
Display:	10	Documents in Display Format: KWIC
	Starting with Number	1
Generate:	<input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search History

DATE: Monday, October 24, 2005
 [Printable Copy](#)
 [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L16</u>	110 and L15	35	<u>L16</u>
<u>L15</u>	tip and ring or tip-ring or telephone line	127683	<u>L15</u>
<u>L14</u>	110 and L13	3	<u>L14</u>
<u>L13</u>	universal	110479	<u>L13</u>
<u>L12</u>	110 and L11	3	<u>L12</u>
<u>L11</u>	impedance with balance	1808	<u>L11</u>
<u>L10</u>	l8 and L9	111	<u>L10</u>
<u>L9</u>	ac with impedance	6355	<u>L9</u>
<u>L8</u>	impedance with (transmit\$4 or communicat\$3) with (value! or combin\$5)	1331	<u>L8</u>
<u>L7</u>	((personel or personal) with business with call) and tieu.xp.	3	<u>L7</u>
<u>L6</u>	l4 and L5	9	<u>L6</u>
<u>L5</u>	455/406-408.ccls.	516	<u>L5</u>
<u>L4</u>	private and public and tieu.xp.	129	<u>L4</u>
<u>L3</u>	6529593	3	<u>L3</u>

L2 tieu.xp. and (wired with wireless)

31 L2

L1 6091713 and impedance

25 L1

END OF SEARCH HISTORY